



**City of Rogers Public Works Department**  
22350 South Diamond Lake Road, Rogers, Minnesota 55374  
Phone: (763) 428-8580 / Fax: (763) 428-9261

**DRIVEWAY REPLACEMENT PERMIT**

**Property Owner**

Name:	
Address:	
Phone:	Email:

**Project and Property Information**

Location/Address:	
Parcel ID No.:	Estimated Start Date:
Description of Work:	

**Contractor Information**

Company Name:		
Address:		
City:	State:	Zip Code:
Phone:	Email:	
Contact Name:	Cell:	

**Proposed Access Information**

Current Access Width:	
Proposed Access Width:	Are sidewalk panels affected? Yes <input type="checkbox"/> No <input type="checkbox"/>

**Fees**

Driveway Replacement Permit:	\$65.00
Additional Fees:	
<b>Total:</b>	<b>\$65.00</b>

**Applicant Signature:** \_\_\_\_\_


**Date:** \_\_\_\_\_

**City Authorization:** \_\_\_\_\_

**Date:** \_\_\_\_\_

\* 32' MAX (24' MAX ON CUL-DE-SAC)

PROPERTY LINE



TYPICAL CONCRETE APRON

NOTE: WATER SERVICE VALVES IN DRIVEWAYS REQUIRE 10" TOP SECTION OF VALVE BOX




RESIDENTIAL DRIVEWAY WITH SIDEWALK

Standard Details

Revised JANUARY, 2014

STR-2



**TYPICAL CONCRETE APRON**

**NOTE:**  
**ON DRIVEWAYS WITHOUT SIDEWALK,**  
**BITUMINOUS MAY BE PLACED TO**  
**THE BACK OF CURB.**



**RESIDENTIAL  
 DRIVEWAY OR  
 ALLEY SECTION**

**Standard Details**

**JANUARY, 2014**

**STR-2A**